



YONGSHENG

永盛集团




Better Price High Quality

公司设备



无内胎车轮 TUBELESS WHEEL



17.5×6.00

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辋厚度(mm)	
YZ001	17.5×6.00	5	32.5	SR22	203.2	146	125	10	8R17.5 215/75R17.5
								12	
YZ002	17.5×6.00	5	32.5	SR22	208	150	127	10	
								12	
YZ003	17.5×6.00	5	29	SR22	203.2	146	130	10	
								12	
YZ004	17.5×6.00	6	20.5	1×45°	190	140	130	10	
								12	
YZ005	17.5×6.00	6	32.5	SR22	222.25	164	130	10	
								12	
YZ006	17.5×6.00	10	26	SR18	225	176	135	10	
								12	

17.5×6.75

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辋厚度(mm)	
YZ007	17.5×6.75	5	32.5	SR22	203.2	146	135	10	9R17.5
								12	
YZ008	17.5×6.75	5	32.5	SR22	208	150	145	10	
								12	
YZ009	17.5×6.75	5	29	SR22	203.2	146	135	10	
								12	
YZ010	17.5×6.75	6	20.5	1×45°	190	140	145	10	
								12	
YZ011	17.5×6.75	6	32.5	SR22	222.25	164	140	10	
								12	
YZ012	17.5×6.75	10	26	SR18	225	176	145	10	
								12	

19.5×6.75

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ013	19.5×6.75	6	32.5	SR22	222.25	164	145	12	9R19.5 245/70R19.5
YZ014	19.5×6.75	8	32.5	SR22	275	214	140	12	
YZ015	19.5×6.75	8	24	1×45°	275	221	140	12	

19.5×7.50

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ016	19.5×7.50	8	26	1×45°	275	220/214	150	12	10R19.5
YZ017	19.5×7.50	10	26	1×45°	225	176	152	14	

22.5×6.00

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ018	22.5×6.00	6	32.5	SR22	222.25	164	135	12	8.5R22.5
YZ019	22.5×6.00	8	32.5	SR22	275	214	135	12	
YZ020	22.5×6.00	10	26	1×45°	335	281	140	14	

22.5×6.75

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ021	22.5×6.75	6	32.5	SR22	222.25	164	145	12	9R22.5 225/70R22.5
								14	
YZ022	22.5×6.75	8	24	1×45°	275	221	152	12	
								14	
YZ023	22.5×6.75	8	26	1×45°	275	214/221	162	12	
								14	
YZ024	22.5×6.75	8	32	SR22	285.75	222	162	12	
								14	
YZ025	22.5×6.75	8	26	1×45°	285.75	220	162	12	
								14	
YZ026	22.5×6.75	10	26	1×45°	335	281	162	12	
								14	



无内胎系列 TUBELESS WHEEL

22.5×7.50

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ027	22.5×7.50	8	32	SR22	275	214	158	12	10R22.5 225/70R22.5
								14	
YZ028	22.5×7.50	8	32	SR22	285	221	162	12	
								14	
YZ029	22.5×7.50	8	26	1×45°	275	214/221	162	12	
								14	
YZ030	22.5×7.50	10	32	SR22	285.75	222	162	12	
								14	
YZ031	22.5×7.50	10	26	1×45°	285.75	220	162	12	
								14	
YZ032	22.5×7.50	10	26	1×45°	335	281	165	12	
								14	

22.5×8.25

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ033	22.5×8.25	8	32	SR22	275	214	165	12	11R22.5 275/70R22.5
							165	14	
YZ034	22.5×8.25	8	32	SR22	285	221	165	12	
							165	14	
YZ035	22.5×8.25	8	26	1×45°	275	220	165	12	
							165	14	
YZ036	22.5×8.25	8	26	1×45°	275	214	165	12	
							165	14	
YZ037	22.5×8.25	10	32	SR22	285.75	222	165	12	
							165	14	
YZ038	22.5×8.25	10	26	1×45°	285.75	220.5	169	12	
							169	14	
YZ039	22.5×8.25	10	26	1×45°	335	281	169	12	
							169	14	

22.5×9.00

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ040	22.5×9.00	8	32	SR22	275	214	175	14	12R22.5 315/80R22.5
							175	16	
YZ041	22.5×9.00	8	32	SR22	285	221	175	14	
							175	16	
YZ042	22.5×9.00	8	26	1×45°	275	220	175	14	
							175	16	
YZ043	22.5×9.00	8	26	1×45°	275	214	175	14	
							175	16	
YZ044	22.5×9.00	10	32	SR22	285.75	222	175	14	
							175	16	
YZ045	22.5×9.00	10	26	1×45°	285.75	220.5	175	14	
							175	16	
YZ046	22.5×9.00	10	26	1×45°	335	281	175	16	
							175	18	

22.5×11.75

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ047	22.5×11.75	10	26	1×45°	335	281	0	14	15R22.5 385/65R22.5
YZ048	22.5×11.75	10	26	1×45°	335	281	120	16	

24.5×8.25

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ049	24.5×8.25	10	32.5	SR22	285.75	222	169	14	11R24.5
YZ050	24.5×8.25	10	26	1×45°	285.75	220	169	14	
YZ051	24.5×8.25	10	26	1×45°	335	281	169	14	

Demountable Wheel


Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ052	22.5×8.25						120		11R22.5
YZ053	22.5×9.00						127		12R22.5
YZ054	22.5×7.50						110		10R22.5

Hump Wheel

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm)	CBD(mm)	OFFSET	DISK THICKNESS	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状	分布圆直径	中心孔直径	偏距(mm)	轮辐厚度(mm)	
YZ055	22.5×8.25	10	26	1×45°	335	281	169	14	11R22.5 315/70R22.5
YZ056	22.5×9.00	10	26	1×45°	335	281	175	16	
YZ057	22.5×11.75	10	26	1×45°	335	281	0	14	385/5R22.5
YZ058	22.5×11.75	10	26	1×45°	335	281	120	16	



型钢车轮 TUBE WHEEL



5.50F-16

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	C.B.D(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辋厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ059	5.50F-16	5	29	SR22	203.2	146	124	8	6.50-16 7.00-16
								10	
								12	
YZ060	5.50F-16	5	32.5	SR22	208	150	115	8	
								10	
								12	
YZ061	5.50F-16	6	20.5	1×45°	205	161	124	8	
								10	
								12	
YZ062	5.50F-16	6	32.5	SR22	222.25	164	119	8	
								10	
								12	
YZ063	5.50F-16	6	20.5	1×45°	190	140	115	8	
								10	
								12	

6.00G-16

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	C.B.D(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辋厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ0564	6.00G-16	5	32.5	SR22	203.2	146	127/135	8	7.00-16 7.50-16
								10	
								12	
YZ065	6.00G-16	5	32.5	SR22	208	150	127	8	
								10	
								12	
YZ066	6.00G-16	6	32.5	SR22	222.25	164	135	8	
								10	
								12	
YZ067	6.00G-16	6	20.5	SR22	190	140	135	8	
								10	
								12	

6.50-16

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ068	6.50-16	6	20.5	SR22	190	140	135	10	7.50-16 8.25-16
								12	
								14	
								10	
YZ069	6.50-16	6	32.5	SR22	222.25	164	135	12	
								10	
								12	
								14	

6.50-20

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ070	6.50-20	6	20.5	SR22	190	140	145	12	8.25-20
								14	
YZ071	6.50-20	6	32.5	SR22	222.25	164	145	12	
								14	
YZ072	6.50-20	8	26.5	1×45°	275	221	145	12	
								14	
YZ073	6.50-20	8	26.5	1×45°	275	214	145	12	
								14	
YZ074	6.50-20	8	32.5	SR22	285	221	145	12	
								14	

7.00T-20

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ075	7.00T-20	8	32.5	SR22	285	221	153	12	9.00-20
								14	
YZ076	7.00T-20	8	32.5	SR22	275	214	152	12	
								14	
YZ077	7.00T-20	8	26.5	1×45°	275	220	152	12	
								14	
YZ078	7.00T-20	8	26.5	1×45°	275	214	153	12	
								14	
YZ079	7.00T-20	10	26.5	1×45°	335	281	152	12	
								14	
YZ080	7.00T-20	10	32.5	SR22	285.75	222	152	12	
								14	
YZ081	7.00T-20	10	26.5	1×45°	285.75	220	162	12	
								14	



型钢车轮 TUBE WHEEL



7.50V-20

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ082	7.50V-20	8	32.5	SR22	285	221	165	14	10.00-20
								16	
YZ083	7.50V-20	8	32.5	SR22	275	214	165	14	
								16	
YZ084	7.50V-20	8	26.5	1x45°	275	214	165	14	
								16	
YZ085	7.50V-20	8	26.5	1x45°	275	220	168	14	
								16	
YZ086	7.50V-20	10	32.5	SR22	285.75	222	165	14	10.00-20
								16	
YZ087	7.50V-20	10	26.5	1x45°	285.75	220.5	165	14	
								16	
YZ088	7.50V-20	10	26.5	1x45°	335	281	175	14	10.00-20
								16	

8.00V-20

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ089	8.00V-20	8	32	SR22	285	221	170	14	11.00-20
								16	
YZ090	8.00V-20	10	26	1x45°	335	281	170	14	
								16	
YZ091	8.00V-20	10	32.5	SR22	285.75	222	170	14	
								16	
YZ092	8.00V-20	10	27	SR18	335	281	175	14	
								16	
YZ093	8.00V-20	10	26.5	1x45°	285.75	220.5	175	14	11.00-20
								16	





8.50-20

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ094	8.50-20	10	26	1×45°	335	281	175	14 16	12.00-20
YZ095	8.50-20	10	27	SR18	335	281	175	14 16	
YZ096	8.50-20	10	32.5	SR22	285.75	222	175	14 16	
YZ097	8.50-20	10	27	SR18	335	281	180	14 16	
YZ098	8.50-20	10	26.5	1×45°	285.75	220.5	180	14	
								16	

8.50-24

Serial NO. 编号	WHEEL SIZE 车轮型号	BOLT HOLES 螺丝孔			P.C.D(mm) 分布圆直径	CBD(mm) 中心孔直径	OFFSET 偏距(mm)	DISK THICKNESS 轮辐厚度(mm)	Tyre Size 配用轮胎
		HOLES NO. 孔数	HOLE DIA 孔径	HOLE TYPE 孔状					
YZ099	8.50-24	10	27	SR18	335	281	180	14 16	12.00-24
YZ100	8.50-24	10	26	1×45°	335	281	180	14 16	

车轮部件 WHEEL PARTS



挡圈
Lock Ring



轮辐
Disc




轮辋
Rim

小无内胎系列 Small Tubeless wheel



NO.	WHEEL SIZE 车轮型号	Hub DIA. 毂直径	Bear Room DIA. 轴承室直	Material Specification 材料规格				Offset 偏距	Tyre Size 配用轮胎型号
				Brake Drum 制动鼓	Cover 套子	Rim 轮辋	Disc 轮辐		
1	2.15×10	95	30	3	35×4.5	2	2	31	3.00-10
2	2.15×10	110	32	3.5	41×7	2	2.5	44	3.50-10G
3	2.15×10	110	32	3.5	41×7	2	2.5	37.5	3.50-10LC

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	1.85×12	4	14.5	100	63	2	2.5	11	2.50-12
2	2.15×12	4	14.5	100	70-63	2	2.5	13	
3	2.50C×12	4	14.5	100	63	2.5	2.5	7	3.50-12 4.00-12
4	2.50C×12	4	14.5	100	60	2.5	2.5	15	
5	2.50C×12	4	14.5	100	60	2.5	3	0/15	
6	3.00D×12	4	14.5	100	60	2.5	3	15	4.00-12 4.50-12
7	3.00D×12	5	15	139.7	110	4	4	11	
8	3.00D×12	5	15	140	110	3	3.5	15	
9	3.50B×12	5	15	140	110	4	4	11	5.00-12
10	3.50B×12	5	15	140	110	3	3.5	11	



NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	4Jx12	4	15	100	65	3	3.5	14/45	4.80x12 145/70R12
2	4Jx12	4	14.5	101.6	71	3	3.5	0	
3	4Jx12	4	14.5	101.6	64	3	3.5	0	
4	4Jx12	5	14.5	114.3	81	3	3.5	0	
5	4Jx12	5	14.5	114.3	75	3	3.5	0	

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	41/2Jx13	4	14.5	139.7	95	2.5	5	25.4	6.00-13
2	41/2Jx13	5	15	139.7	110	4	4.5	11/20	
3	41/2Jx13	6	15/16	160	115	3.5	6	11/98	
4	41/2Jx13	6	21	170	130	4	4.5	98	

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	5Jx13	4	15	100	54	2.5	3	45	165/60R13
2	5Jx13	4	13/14	114.3	70	2.5	3.5	43	
3	5Jx13	4	13	100	54	2.5	3.5	43	
4	5Jx13	5	15/16	140	110	3	4	43	

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	41/2Jx14	5	15	139.7	110	4	5	10/34/98	6.00-14
2	41/2Jx14	5	15	140	110	4	5	52.5	
3	41/2Jx14	6	20.5	190	140	4	5	98	
4	41/2Jx14	6	15	160	115	4	6	98	
5	41/2Jx14	6	15	150	110	4	6	103	
6	41/2Jx14	6	14.5	161	100.5	4	5	31	
7	41/2Jx14	6	13	132	104	4	5	9	


小无内胎车轮 Small Tubeless wheel

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	5Jx14	4	15	114.3	60	3	4.6	44	175/65R13
2	5Jx14	4	15	100	54	2.5	3.5	35	
3	5Jx14	4	14	114.3	60	2.5	3.5	41	
4	5Jx14	5	14	114.3	60	2.5	3.5	41	

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	51/2JJx14	4	15	114	67	2.5	3.5	31	195/60R14 185R14C
2	51/2JJx14	4	14	114.3	67	3	3.5	35	
3	51/2JJx14	4	14	114.3	67	3.5	4	30	
4	51/2JJx14	5	15	139.7	110	3.5	5	44	

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	6Jx14	4	16	114.3	81	3.5	5	0	ST205/75D-14
2	6Jx14	5	14	114.3	81	3.5	5	0	
3	6Jx14	5	14	114.3	83	3.5	5	0	

NO.	WHEEL SIZE 车轮型号	Bolt Hole No. 螺栓孔数	Bolt Hole DIA. 螺栓孔直径	P.C.D. 分布圆	C.B.D. 中心孔直径	Thickness 厚度		Offset 偏距	Tyre Size 配用轮胎型号
						Rim 轮辋	Disc 轮辐		
1	6Jx15	5	14	114.3	84	3	3.5	0	ST225/75D-15
2	6Jx15	5	14	120.65	84	3.5	5	0	
3	6Jx15	5	14	127	84	3.5	5	0	
4	6Jx15	5	14	114.3	67	3.5	5	29	
5	6Jx15	5	15	139.7	110	3.5	5	0	
6	6Jx15	5	14	114.3	81	3.5	5	0	



Certificate of Registration



This is to certify that the **Quality Management System** of

Cusongxin Hongkong auto Parts Co., Ltd.
Qiantan Village, Qiantan Town Guangzhou County (Jiangxi City, Shuang Panshan, 357118, China,

is applicable to

The manufacture of truck wheels

has been assessed and registered by
NQA, Newark House, Highgate Hall Park, Highgate Regis, Doncaster CO5 5DQ, South Yorkshire, England

against the provisions of
ISO 9001:2015

(Clause 4.3 product design of **ISO 9001:2015** is partially covered)

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA


Managing Director




NQA Certificate No.
20001
Valid Until
31/12/2020


NQA Certificate No.
20001
Valid Until
31/12/2020



Registration of the **ISO 9001:2015** standard is accredited to standard

Registration valid until 31/12/2020. nqa.co.uk. Registration No. 20001. This system meets the requirements of ISO 9001:2015. Issued by NQA, Newark House, Highgate Hall Park, Highgate Regis, Doncaster CO5 5DQ, South Yorkshire, England.

Version Date: 10/1/2017 Page 1 of 1

[illegible]

Alibaba.com Assessed Supplier	
	
Assessment Report	
<i>Presented to</i> Guangrao Yongsheng Auto Parts Co., Ltd. 广饶永正汽车配件有限责任公司	
Sell Supplier & Assessed Company Relationship:	☒ Self-owned ☐ Wholly Owned ☐ Shareholder/Partner ☐ Keynote Investor/Supplier ☐ Cooperator/Partner
Company Address:	Shanxi Industrial Park, Guangrao County, Shangdong City
City / Country:	Deqing / China
Company of Assessment:	Alibaba
Sell Supplier Member ID:	ymshen201208
Sell Supplier Company Name:	Guangrao Yongsheng Auto Parts Co., Ltd
Contact Person:	Ms. Xu
Phone Number:	0536-6993007/220
Fax Number:	0536-6993007/220
E-mail:	ymshen@yongsheng.cn
Website Address (URL):	http://yongshengmotor.en.alibaba.com

Service Provided by TUV Rheinland

Report No.: 7755836_Pn7



Alibaba.com
B2B market leading



TUV Rheinland
Trustworthy, Right

[illegible]